Illinois EE Stakeholder Advisory Group Large Group SAG Meeting

Friday, September 25, 2020 10:00 am – 12:00 pm

Teleconference: NTG Meeting #4

Webinar registration: https://attendee.gotowebinar.com/register/6269928078894909964

Call-In Number: (415) 655-0052

Access code: 297-654-507 (audio PIN shown after joining)

Participants may also use their computer's microphone and speakers (VoIP).

Time	Agenda Item	Discussion Leader
10:00 – 10:10 am	Opening and Introductions	Celia Johnson, SAG Facilitator
	Purpose of September 25 meeting:	
	To discuss follow-up on evaluator Net-to-Gross (NTG)	
	recommendations for the 2021 program year and finalize consensus resolution on open NTG values.	
10:10 – 10:20 am	Overview of NTG consensus process and next steps if consensus is not reached on evaluator NTG recommendations. Q&A	Celia Johnson, SAG Facilitator
	Purpose: To provide an overview of the NTG	
	consensus process; answer questions.	
10:20 – 11:10 am	Follow-Up on Open NTG Values	Jeff Erickson, Guidehouse
	ComEd:	
	1. C&I Standard	Zach Ross, Opinion
	2. C&I Custom and Data Centers	Dynamics
	3. Other NTG values, if needed	Karda Orahanan
	Amaran Illinaia:	Kevin Grabner, Guidehouse
	Ameren Illinois: 1. Discuss results from HVAC and Retail Products	Guidenouse
	research	
	Timing for standard Program and Small	
	Business Direct Install NTG research	
	3. Instant Incentive values: Will be updated later in	
	2020 once research is completed (anticipated in mid-November)	
	4. Other NTG values, if needed	
	T. Other IVIO values, il flocueu	
	Nicor Gas, Peoples Gas & North Shore Gas:	
	Discuss open NTG values, if needed	
	Final Discussion and Q&A	

Time	Agenda Item	Discussion Leader
	Purpose: To discuss follow-up on evaluator NTG recommendations identified during prior NTG meetings; discuss consensus on NTG values; determine if there are any non-consensus items.	
11:10 – 11:55 am	Joint Presentation from Guidehouse and Opinion Dynamics: 1. Advanced Thermostats a. Commercial and Programmable Advanced Thermostats: For the advanced t-stat heating reduction values, does there need to be a separate NTG applied? b. Residential Advanced Thermostats: For the advanced t-stat heating reduction values, does there need to be a separate NTG applied? 2. Air Sealing Final Discussion and Q&A Purpose: To discuss follow-up on evaluator NTG recommendations identified during prior NTG meetings; discuss consensus on NTG values; determine if there are any non-consensus items.	Zach Ross, Opinion Dynamics
11:55 am – 12:00 pm	Closing and Next Steps	Celia Johnson, SAG Facilitator

Meeting Materials

NTG recommendations and notes from prior NTG meetings are posted on the 2021 NTG page: https://www.ilsag.info/evaluator-ntg-recommendations-for-2021/